


Molannodes ephialtes nov. spec.

Material: China, Henan, Luoshan Co., Lingshan Mt., 300-500m, 31°54'N, 114°13'E, 25.-27.5.1989, leg. Kyselak: 3 ♂, 1 ♀ (HT, PT).



Braun, VFL 7,5 mm, ♀ 9 mm. ♂ KA: Vorderkante des 9.Segments in LA in der Dorsalhälfte weit nach vorne ausladend. 10.Segment häutig, in LA stumpf dreieckig, in DA breit dreieckig und in zwei Finger ausgezogen. OA gegabelt mit einem kurzen dorsalen und einem langen ventralen Lappen. Mittlere Anhänge in DA lang, schlank und mit nach innen gebogenen Spitzen, in LA gerade und in der Mitte von der Ventralante her auf die Hälfte verschmälert, distal abgerundet. Dorsalteil der UA lang und schlank, leicht nach unten und innen gebogen, Ventralteil knapp halb so lang und hakig nach unten gebogen. PA mit einem stark sklerotisierten Haken, einem beborsteten, häutigen Dorsalfinger und mehreren paarigen ventralen und lateralen häutigen Zapfen, die verschiedene kurze, stumpfe Dornen tragen. – *M.falcifer* WIGGINS 1968 aus Assam ist einigermaßen ähnlich, hat aber am 10.Segment nur einen Distalfinger, eine weniger stark gebogene Krallen am PA und eine andere Bedornung an dessen häutigen Teilen.

Literatur

BANKS, N., 1930, Some Neuropteroid insects from North Borneo, particularly from Mt.Kinabalu, 13,455 ft. – Journal of the Fed.Malay.S.Mus. 16:419-429.

PARKER, C.R., WIGGINS, G.B., 1987, Revision of the caddisfly genus *Psilotreta* (Trichoptera: Odontoceridae). – Life Sci.Contr., Royal Ontario Mus. 144:1-55.

SCHMID, F., 1966, Le genre *Himalopsyche* BANKS (Trichoptera, Rhyacophilidae). – Ann.Soc.ent.Québec 11:123-176.

ULMER, G., 1951, Köcherfliegen von den Sunda-Inseln (Teil 1). – Arch.Hydrobiol.Suppl. 19:1-528.

WIGGINS, G.B., 1968, Contributions to the systematics of the caddisfly family Molannidae in Asia (Trichoptera). – Life Sci.Contr., Royal Ontario Mus. 72:1-26.

Verfasser: Dr.Hans Malicky,
Sonnengasse 13
A – 3293 Lunz am See
Austria



BRAUERIA (Lunz am See, Austria) 27:39-47 (2000)

TRICHOPTEROLOGICAL LITERATURE

Several authors have claimed that their papers were not included in this list. Please understand that I can only list those papers which I know. Help to complete the list by sending me reprints or references, including dissertations and similar papers. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the number of the volume, the year of publication, and the original page numbers. If you find mistakes in the list, e.g. incorrect writing of words in other languages, please let me know.

1987

Yamanouchi, O. 1987
Caddis fly at Nukabira, 4 (Insecta, Trichoptera). – Bull.Higashi Taisetsu Mus.Nat.Hist. 9:35-43.

1993

Darby, E.J. 1993
Charnwood Forest, Woodbrook. – Loughborough Naturalists' Club Ann.Rep. 1993:16-17.

Reusch, H., Blanke, D. 1993
Rote Liste der Eintags-, Stein- und Köcherfliegen des Landes Sachsen-Anhalt (1.Fassung, Stand: Januar 1993). – Ber.Landesamt Umweltschutz Sachsen-Anhalt 9:17-24.

Laukötter, G. 1993
Crunoecia irrorata. Porträt einer Köcherfliege der Quellen. – *Crunoecia* 2:85-88.

1994

Dallai, R. 1994
Lo spermatozoo dei tricoteri nella filogenesi del gruppo. – Atti Congr.Naz.Ital.Ent. 17:105-106.

Lubini, V. 1994
Hydrobiologische Untersuchungen am Unterlauf der Thur (Kanton Zürich, Schweiz). – I. Libellen, Eintags-, Stein-, Köcher- und Schlammfliegen (Insecta: Odonata, Ephemeroptera, Plecoptera, Trichoptera, Megaloptera). – Vierteljahrsschrift Naturf.Ges.Zürich 139:23-31.

Pannunzio, G. 1994
I tricoteri delle sorgenti del Pescara (Popoli, Abruzzo). – Atti Congr.Naz.Ital.Entomol. 17:423-426.

1995

Hacker, H. 1995
Insektenfauna der Gebirge Bayerns: aktueller Kenntnisstand und bemerkenswerte Funde aus den ostbayerischen Grenzgebirgen und den bayerischen Alpen. Ergebnisse der Kartierung der Naturwaldreservate Bayerns (Lepidoptera, Trichoptera, Neuropteroidea, Ephemeroptera, Odonata). – Beitr.Bayer.Entomofaunistik 1:199-265.

- Lakatos, G. 1995 Frania, H.E., Wiggins, G.B. 1997
 A nadhoz kotodo allatok. A nadszar viz alatti bevonatanak
 allatvilaga (zootekton). – *Studia naturalia* 8:27-35. Analysis of morphological and behavioural evidence for the
 phylogeny and higher classification of Trichoptera (Insecta).
 – *Life Sci. Contr., Royal Ontario Mus.* 160:1-67.
- 1996 Di Giovanni, M.V. 1997
 Un ricordo di Giampaolo Moretti (1910 – 1997). – *Italian
 J.Zool. (Modena)* 64:387-389.
- Becker, G., 1996
 Wechselwirkungen zwischen Weidegängern und Aufwuchs in
 einem Mittelgebirgsbach. – *Verh. Westdeutscher
 Entomologentag* 1996:125-128. Heinrich, B. 1997
 Insect architects: caddisfly larvae. Pp.18-23. – In: *Xerces
 Society. Streamkeepers: aquatic insects as biomonitors.
 Xerces Society, Portland, Oregon*, 65 pp.
- Fischer, F., Bohle, H.W. 1996
 Anpassungen von Glossosomatiden an einen astatischen
 Lebensraum. Eiablageverhalten und Entwicklung
 (Glossosomatidae, Agapetinae, Agapetini). –
Verh. Westdt. Entomologentag 1995:107-118. Houp, R.E., Schuster, G.A. 1997
 Caddisflies (Insecta: Trichoptera) of the mainstem of the
 Kentucky River, Kentucky. – *Trans. Kentucky Acad. Sci.*
 58:67-73.
- Hwang, J.H., Yoon, I.B. 1996
 A taxonomic study of subfamily Hydropsychinae from Korea
 (Trichoptera: Hydropsychidae). – *Ent. Res. Bull.* 22:7-15. Klima, F. 1997
 Die Köcherfliegenfauna (Trichoptera) der Locknitz. –
Beitr. Angew. Gewässerökol. Norddeutschlands 3:69-75.
- Papier, F., Nel, A., Grauvogel-Stamm, L. 1996
 Deux nouveaux insectes Mecopteroidea du Buntsandstein
 supérieur (Trias) des Vosges (France). – *Paleontologia
 Lombarda* 5:37-45. Kocharina, S.L. 1997
 The larval retreats and food of three species of net-spinning
 caddis flies in a river of the foothill type (Russian Far East,
 South Primorye). – *Russ. J. Aquat. Ecol.* 6:43-51.
- Vuori, K.-M., Joensuu, I. 1996
 Impact of forest drainage on the macroinvertebrates of a
 small boreal headwater stream: do buffer zones protect lotic
 biodiversity? – *Biol. Conservation* 77:87-95. Kreuzweiser, D.P. 1997
 Nontarget effects of neem-based insecticides on aquatic
 invertebrates. – *Ecotoxicology and Environm. Safety* 36:109-
 117.
- 1997
 Park, S.J., Park, S.Y., Kim, J.S., Bae, Y.J. 1997
 Altitudinal distribution of Ephemeroptera, Plecoptera and
 Trichoptera in a mountain stream of Chiaksan. –
Ent. Res. Bull. 23:37-42.
- Albert, R. 1997
 Zwei heimische Köcherfliegen. – *Mikrokosmos* 86:29-31.
- Axtmann, E.V., Cain, D.J., Luoma, S.N. 1997
 Effect of tributary inflows on the distribution of trace metals in
 fine-grained bed sediments and benthic insects of the Clark
 Ford River, Montana. – *Environm. Sci. Technol.* 31:750-758. Skale, A., Weigel, A. 1997
 Zur Insektenfauna (Coleoptera, Lepidoptera, Saltatoria,
 Odonata, Trichoptera et Heteroptera) des NSG „Tannbach –
 Klingelfelsen“ (Saale-Orla-Kreis, Thüringen). – *Thüringer
 Faun. Abh.* 4:139-172.
- Botosaneanu, L., Bolland, H.R. 1997
 A mite (Acari: Erythraeidae) as unusual parasite on an adult
 caddisfly (Trichoptera: Hydroptilidae) from the Dominican
 Republic (West Indies). – *Stud. Nat. Hist. Carribaen Region*
 73:71-76. Ujvarosi, L. 1997
 Study on the Trichoptera fauna in the Romanian section of
 the river Crisul Alb catchment area, pp. 295-299. – In:
 Sarkany-Kiss, A., Hamar, J. (eds): *The Cris/Körös river's
 valleys. – Tisza Klub & Liga Pro Europa, Szolnok & Targu
 Mures*, 397 pp.
- Brettfeld, R. 1997
 Erstnachweis der Köcherfliege *Orthotrichia costalis* (Curtis,
 1834) (Insecta: Trichoptera) für Thüringen. – *Thüringer
 Faunist. Abh.* 4:137-138. 1998
- Charbonneau, P., Hare, L., Carignan, R. 1997
 Use of X – ray images and a contrasting agent to study the
 behavior of animals in soft sediments. – *Limnol. Oceanogr.*
 42:1823-1828. Angrisano, E.B. 1998
 Trichoptera. pp.374-384 in: Morrone, J.J., Coscarón, S. (eds):
*Biodiversidad de Artrópodos Argentinos. Ed. SVR, La Plata,
 Argentina.*
- Dieterich, M., Anderson, N.H., Anderson, T.M. 1997
 Shredder-collector interactions in temporary streams of
 western Oregon. – *Freshw. Biol.* 38:387-393. Baker, S.C., Sharp, H.F., Jr. 1998
 Evaluation of the recovery of a polluted urban stream using
 the Ephemeroptera – Plecoptera – Trichoptera index. –
J. Freshw. Ecol. 13:229-234.

- Bernabei, S., DiGirolamo, I., Iavarone, I., Mancini, L. 1998
Alcune note sul popolamento macrobentonico del Fiume Arnone (Lazio – Italia). – Riv. Idrobiol. 37:203-209.
- Bright, E., Bidlack, D. 1998
Psilotreta indecisa and *Agarodes distinctus* (Trichoptera: Odontoceridae, Sericostomatidae): new state records and notes on the habitat of these species in Michigan. – Great Lakes Ent. 31:199-200.
- Bröring, U. 1998
Die Köcherfliegen der ostfriesischen Inseln. – Drosera 1:31-38.
- Campbell, I.C., Pamrong, S., Treadwell, S. 1998
Food availability and life history patterns of aquatic insects in evergreen eucalypt forest streams in southeastern Australia. – Verh. IVL 26:986-989.
- Charbonneau, P., Hare, L. 1998
Burrowing behavior and biogenic structures of mud-dwelling insects. – J.N. Am. Benthol. Soc. 17:239-249.
- Collier, K.J., Smith, B.J. 1998
Dispersal of adult caddisflies (Trichoptera) into forests alongside three New Zealand streams. – Hydrobiologia 361:53-65.
- Cummins, K.W., Wilzbach, M.A. 1998
A case for inside out (pathogenic) population control in a stream insect. – Verh. IVL 26:2035-2043.
- Dunkel, F.V., Richards, D.C. 1998
Effect of an azadirachtin formulation on six nontarget aquatic macroinvertebrates. – Environm. Ent. 27:667-674.
- Fjellheim, A., Raddum, G.G. 1998
Life cycle and drift of *Glossosoma intermedia* (Trichoptera: Glossosomatidae) in western Norway. – Verh. Int. Ver. Limnol. 26:2048-2052.
- Fochetti, R., Argano, R., Formichetti, P., Moretti, G.P. 1998
Le zocoseni bentoniche del fiume Aniene (Italia Centrale, Lazio). – Riv. Idrobiol. 37:43-62.
- Forsten, A., Silfverberg, H., Terhivuo, J. 1998
Accessions to the Zoological Museum of the Finnish Museum of Natural History, University of Helsinki in 1997. – Mem. Soc. Fauna Flora Fenn. 74:89-91.
- Goodyear, K.L., McNeill, S. 1998
Bioaccumulation of heavy metals by freshwater insect larvae. – Rev. Environm. Contamin. Toxicol. 158:129-146.
- Griffith, M.B., Barrows, E.M., Perry, S.A. 1998
Lateral dispersal of adult aquatic insects (Plecoptera, Trichoptera) following emergence from headwater streams in forested Appalachian catchments. – Ann. Ent. Soc. Am. 91:195-201.
- Harding, D.J.L. 1998
Distribution and population dynamics of a litter-dwelling caddis, *Enoicyla pusilla* (Trichoptera). – Appl. Soil Ecol. 9:203-208.
- Harris, S.C., Pescador, M.L., Rasmussen, A.K. 1998
Two new species of microcaddisflies (Trichoptera: Hydroptilidae) from northern Florida. – Florida Ent. 81:221-224.
- Harrison, S.S.C., Hildrew, A.G. 1998
Distribution dynamics of epilithic insects in a lake littoral. – Arch. Hydrobiol. 143:275-293.
- Hohmann, M. 1998
Köcherfliegenfänge (Insecta, Trichoptera) aus Nord- und Mitteldeutschland. – Naturw. Beitr. Mus. Dessau 10:191-201.
- Houghton, D.C., Dimick, J.J., Frie, R.V. 1998
Probable displacement of riffle-dwelling invertebrates by the introduced rusty crayfish, *Orconectes rusticus* (Decapoda: Cambaridae), in a north-central Wisconsin stream. – Great Lakes Ent. 31:13-24.
- Houghton, D.C., Stewart, K.W. 1998
Immature life stage descriptions and distribution of *Culoptila cantha* (Ross) (Trichoptera: Glossosomatidae). – Proc. Entomol. Soc. Wash. 100:511-520.
- Houghton, D.C., Stewart, K.W. 1998
Seasonal flight periodicities of six microcaddisflies (Trichoptera: Hydroptilidae, Glossosomatidae) in the Brazos River, Texas, with notes on larval biology and site records. – Ent. News 109:103-109.
- Jackson, J.E. 1998
Two new species of *Conoesucus* Mosely from Tasmania (Trichoptera: Lonoesucidae). – Mem. Mus. Victoria 57:133-142.
- Johnson, Z.B., Riggs, A.K., Kennedy, J.H. 1998
Microdistribution and secondary production of *Cymellus fratemus* (Trichoptera: Polycentropodidae) from snag habitats in the Elm Fork of the Trinity River, Texas. – Ann. Ent. Soc. Amer. 91:641-646.
- Keiper, J.B., Casamatta, D.A., Foote, B.A. 1998
Incorporation of *Batrachospermum gelatinosum* (Rhodophyta) into cases of *Ochrotrichia wojcickiyi* (Trichoptera: Hydroptilidae). – Ent. News 109:256.
- Keiper, J.B., Casamatta, D.A., Foote, B.A. 1998
Use of algal monocultures by larvae of *Hydroptila waubesiana* and *Oxyethira pallida* (Trichoptera: Hydroptilidae). – Hydrobiologia 380:87-91.
- Keiper, J.B., Foote, B.A. 1998
Biological notes on *Ochrotrichia xena* (Ross) (Trichoptera: Hydroptilidae), a species newly recorded from Ohio. – Proc. Ent. Soc. Washington 100:594-595.

- Kittel, K. 1998 Park, S.J., Bae, Y.J. 1998
Muschel- und Schneckengehäuse als Baumaterial für New records of the Limnephiloidea (Insecta: Trichoptera) Köcherfliegenlarven. – *Club Conchylia Inform.* 30:29-31. from Korea. – *Korean J.Syst.Zool.* 14:361-370.
- Koperski, P. 1998 Parker, C.R. 1998
Feeding in epiphytic, carnivorous insects: resource A review of *Goerita* (Trichoptera: Goeridae), with description partitioning and the avoidance of intraguild predation. – of a new species. – *Insecta Mundi* 12:227-238. *Arch.Hydrobiol.* 142:467-483.
- Kumanski, K. 1998 Peterson, C.G., Vormittag, K.A., Valett, H.M. 1998
Rhyacophila margaritae – a new insect species (Trichoptera: Ingestion and digestion of epilithic algae by larval insects in a heavily grazed montane stream. – *Freshw. Biol.* 40:607-623. Rhyacophilidae) from Bulgaria. – *CR Acad.bulg.Sci.* 51:59-62.
- Kuranishi, R.B., Nozaki, T., Kuhara, N. 1998 Plague, G.R., McArthur, J.V. 1998
A new record of *Ecclisomyia kamtschatica* (Trichoptera: Genetic diversity vs geographic distribution of five congeneric caddisflies. – *Hydrobiologia* 362:1-8. Limnephilidae) from Japan, with descriptions of immature stages. – *J.Nat.Hist.Mus.Inst.Chiba* 5:47-50.
- Laasonen, E.M., Laasonen, L., Nybom, O. 1998 Randriamasimanana, D., Gibon, F.-M. 1998
Trichoptera in Finnish biogeographical provinces. – Biodiversité aquatique de Madagascar, 20: Description et Ent.Fenn. 9:115-136. répartition de trois nouveaux *Oecetis* appartenant au groupe *testacea* (Trichoptera, Leptoceridae). – *Revue fr. Ent.(N.S.)* 20:33-40.
- Larsson, M.C., Hansson, B.S. 1998 Randriamasimanana, D., Gibon, F.-M. 1998
Receptor neuron responses to potential sex pheromone Biodiversité aquatique de Madagascar, 25: Description et components in the caddisfly *Rhyacophila nubila* (Trichoptera: répartition de six nouveaux *Oecetis* appartenant au groupe Rhyacophilidae). – *J.Insect Physiol.* 44:189-196. *lais* (Trichoptera, Leptoceridae). – *Revue fr. Ent.(N.S.)* 20(4):145-155.
- Liess, M. 1998 Rust, J. 1998
Significance of agricultural pesticide on stream Biostratonomie von Insekten aus der Fur-Formation von macroinvertebrate communities. – *Verh.Int.Ver.Limnol.* Dänemark (Moler, oberes Paleozän/ unteres Eozän). – Paläontol.Ztschr. 72:41-58. 26:1245-1249.
- Majecki, J., Majecka, K. 1998 Schulz, R. 1998
Predation of *Oligotricha striata* (Trichoptera, Phryganeidae) Macroinvertebrate dynamics in a stream receiving insecticide-contaminated runoff. – *Verh.Int.Ver.Limnol.* 26:1271-1276. larvae on amphibian eggs. – *Amphibia-Reptilia* 19:230-233.
- Moravec, F., Skorikova, B. 1998 Smith, B.J. 1998
Amphibians and larvae of aquatic insects as new paratenic The larva of *Hydrobiosis gollanis* Mosely (Trichoptera: Hydrobiosidae). – *NZ J.Zool.* 25:421-428. hosts of *Anguillicola crassus* (Nematoda: Dracunculoidea), a swimbladder parasite of eels. – *Diseases of aquat.Organisms* 34:217-222.
- Oliveira, L.G., Bispo, P.C., de Sa, N.C. 1998 Solinas, M. 1998
Ecologia de comunidades de insetos bentônicos Commemorazione dell'accademico ordinario Giampaolo Moretti (1910 – 1997). – *Atti Accad.Naz.Ital.Entomol.Rendic.* 46:53-79. (Ephemeroptera, Plecoptera e Trichoptera), em correios do Parque Ecologico de Goiania, Goias, Brasil. – *Rev.Brasil.Zool.* 14:867-876.
- Olsvik, H., Johanson, K.A. 1998 Sturkie, S.K., Morse, J.C. 1998
Semblis phalaenoides (Linnaeus, 1758) recorded in Norway Larvae of the three common North American species of (Trichoptera: Phryganeidae). – *Fauna norv.Ser.B* 45:106-107. *Phylocentropus* (Trichoptera: Dipseudopsidae). – *Insecta Mundi* 12:175-179.
- Pannunzio, G., Osella, G., Cianficconi, F., Moretti, G.P. 1998 Sykora, J.L. 1998
Ricerche faunistiche sulla palude della Zittola (Abruzzo – New species of *Cermitina* Ross (Insecta: Trichoptera: Polycentropodidae) from the Amazon Basin in northeastern Molise). IV. I Tricotteri. – *Rev.Idrobiol.* 37:69-88. Peru and northern Brazil. – *Ann.Carnegie Mus.* 67:95-104.
- Park, S.J., Bae, Y.J. 1998 Temech, A., Grzybkowska, M., Majecki, J., Ligowski, R. 1998
Checklist of the Limnephiloidea (Insecta: Trichoptera) of Seston composition and food preference of Trichoptera larvae *Hydropsyche angustipennis* Curtis 1834 in two lowland rivers (Central Poland). – *Polskie Arch.Hydrobiol.* 45:55-63. Korea. – *Ent.Res.Bull.(Seoul)* 24:33-42.

- Uherkovich, Á., Nógrádi, S. 1998 The caddisfly (Trichoptera) fauna of the Szatmar-Bereg Plain, northeast Hungary. – Janus Pannonius Múz.Évkönyve 41-42:49-62.
- Ujvarosi, L. 1998 Four Trichoptera species new in the Romanian fauna. – Entomol.rom. 3:73-78.
- Ujvárosi, L. 1998 Trichopterele (Insecta: Trichoptera) din zona Cheile Someșului Cald (lc Ponor). – Bul.inf.Soc.lepid.rom. 9:265-268.
- Vallania, E.A., Medina, A.L., Sosa, M.E. 1998 Estructure de la comunidad de Trichoptera en un arroyo regulado de la provincia de San Luis, Argentina. – Rev.Soc.Entomol.Argentina 57:7-11.
- Varga, I., Andrikovics, S., Hufnagel, L. 1998 New data on the macrofauna of Lake Fertő, Hungary. – Opusc.Zool.(Budapest) 31:143-148.
- Vuori, K.-M., Joensuu, I., Latvala, J., Jutila, E., Ahvonen, A. 1998 Forest drainage: a threat to benthic biodiversity of boreal headwater streams? – Aquat.Conserv.:Mar.Freshw.Ecosyst. 8:745-759.
- Wang, B., Sun, C., Yang, L. 1998 Trichoptera. – Fauna and taxonomy of insects in Henan 2:258-261.
- Widdig, T. 1998 Rote Listen der Köcherfliegen (Trichoptera) Hessens (1.Fassung, Stand Februar 1998): 38 pp. – Hess.Ministerium des Inneren, Wiesbaden.
- Wiggins, G.B. 1998 The caddisfly family Phryganeidae (Trichoptera). – Univ.of Toronto Press, 306 pp.
- Williams, D.D., Williams, N.E. 1998 Aquatic insects in an estuarine environment: densities, distribution and salinity tolerance. – Freshw.Biol. 39:411-421.
- Zhang, Y.-P. 1998 Description of female, pupa and larva of *Hydatophylax intermedius* Schmid (Trichoptera: Limnephilidae). – Ent.Sci. 1:81-85.
- Zwick, P. 1998 *Micrasema longulum* (Trichoptera: Brachycentridae) builds a special pupation chamber. – Annls.Limnol. 34:437-444.
- 1999
- Andrikovics, S., Kiss, O. 1999 A gerinctelen makrofauna funkcionális táplálkozásbiológiai csoportjai az Eger-patak mentén. – Hidrológiai közlöny 79:300-302.
- Barnard, P.C. 1999 Trichoptera: the caddisflies. – In: Barnard, P.C.(ed.): Identifying British Insects and Arachnids: an annotated bibliography of key works. Cambridge Univ.Press, Cambridge: 141-144.
- Benke, A.C., Huryn, A.D., Smock, L.A., Wallace, J.B. 1999 Length-mass relationships for freshwater macroinvertebrates in North America with particular reference to the south-eastern United States. – J.N.Am.Benthol.Soc. 18:308-343.
- Botosaneanu, L. 1999 About *Rhyacophila hirticornis* McLachlan, 1879, and two closely related taxa (Insecta, Trichoptera, Rhyacophilidae). – Spixiana 22:167-172.
- Botosaneanu, L. 1999 Fernand Schmid 12.V.1924 – 22.XI.1998. – Mitt.Schweiz.Ent.Ges. 72:III-IV.
- Botosaneanu, L., Hyslop, E.J. 1999 Additional contribution to the knowledge of the caddisfly fauna of Jamaica (Trichoptera). – Ent.Z. (Stuttgart) 109:325-329.
- Brinkmann, R., Speth, S. 1999 Eintags-, Stein- und Köcherfliegen Schleswig-Holsteins und Hamburgs – Rote Liste. – Landesamt für Natur und Umwelt des Landes Schleswig-Holstein, Flintbek. 44 pp.
- Bueno-Soria, J. 1999 Studies in aquatic insects XV: New species of *Neotrichia* and first record of *Oxyethira hilosa* (Trichoptera: Hydroptilidae) from Mexico. – Ent.News 110:113-117.
- Bueno-Soria, J., Barba-Alvarez, R. 1999 Studies in aquatic insects XVI: Two new species of the microcaddisfly genus *Mejicanotrichia* (Trichoptera: Hydroptilidae) from Mexico, with a key to the species in the genus. – Ent.News 110:118-122.
- Choe, H.-J., Kumanski, K., Woo, K.-S. 1999 Taxonomic notes on Limnephilidae and Goeridae (Trichoptera: Limnephiloidea) of Korea. – Korean J.Syst.Zool. 15:27-49.
- Cianficconi, F., Mazzeroli, S., Moretti, G.P., Salerno, P. 1999 La tricoterofauna di due sistemi tributari del F.Chiascio (Umbria). – Boll.Soc.ent.ital. 131:147-177.
- Cianficconi, F., De Pietro, R., Gerecke, R., Moretti, G.P. 1999 Catalogo die Tricotteri della Sicilia. – Mem.Soc.ent.ital. 77:259-309.
- Czachorowski, S. 1999 Methods of recording and faunistical research of spring habitats in Poland. – Crunoecia 6:63-66.
- Czachorowski, S., Buczyński, P. 1999 Uwagi o chruścikach (Insecta: Trichoptera) Poleskiego Parku Narodowego i jego okolic. – Parki nar.Rez.przyr.(Białowieża) 18.2:103-110.

- Depisch, B. 1999 Graf, W., Depisch, B. 1999
Hydrobiologische Untersuchung des Radlbachsystems. –
Diplomarbeit, Univ. Graz, 178 pp. Laterale Biotopvielfalt und ihre Bedeutung für die Köcher-
und Steinfliegenfauna (Insecta: Trichoptera; Plecoptera) am
Beispiel eines Wildbach-Systemes in Kärnten. –
Tagungsber. Dt. Ges. Limnol. 1998:749-752.
- Dobson, M. 1999 Graf, W., Konar, M. 1999
Aggregation of *Potamophylax cingulatus* (Trichoptera:
Limnephilidae) larvae in response to possible food limitation
in a southern French stream. – Arch. Hydrobiol. 145:317-329. Rote Liste der Köcherfliegen Kärntens (Insecta: Trichoptera).
Pp. 201-212 in: Rottenburg, T., Wieser, C., Mildner, P.,
Holzinger, W.E. (eds.): Rote Listen gefährdeter Tiere
Kärntens. – Naturschutz in Kärnten 15, 718 pp. (Klagenfurt).
- Dorn, A., Weinzierl, A. 1999 Harthun, M. 1999
Nochmals: Stein- und Köcherfliegen-Nachweise entlang der
Münchener Isar (Insecta: Plecoptera, Trichoptera). –
Lauterbornia 36:3-7. Der Einfluß des Bibers (*Castor fiber albicus*) auf die Fauna
(Odonata, Mollusca, Trichoptera, Ephemeroptera, Diptera)
von Mittelgebirgsbächen in Hessen (Deutschland). –
Limnologica 29:449-464.
- Dudgeon, D. 1999 Hayashi, Y., Yun, S.-J. 1999
Tropical Asian Streams: Zoobenthos, Ecology and
Conservation. – Hongkong University Press, XII+830 pp. Association of larval and adult stages of *Cheumatopsyche*
galloisi (Matsumura, 1931) (Trichoptera: Hydropsychidae)
using esterase zymograms. – Japan. J. Limnol. 60:379-384.
- Englund, G., Evander, D. 1999 Hohmann, M. 1999
Interactions between sculpins, net-spinning caddis larvae
and midge larvae. – Oikos 85:117-126. Bemerkenswerte Köcherfliegen-Fänge (Insecta, Trichoptera)
im Tiefland Sachsen-Anhalts. – Lauterbornia 36:33-40.
- Extence, C.A., Balbi, D.M., Chadd, R.P. 1999 Holzenthal, R.W., Harris, S.C. 1999
River flow indexing using British benthic macroinvertebrates:
a framework for setting hydroecological objectives. –
Regulated Rivers 15:543-574. The genus *Costatrichia* Mosely in Costa Rica, with a review
of the neotropical species (Trichoptera: Hydroptilidae). –
Proc. Ent. Soc. Wash. 101:540-568.
- Flint, O.S., Jr., Bueno-Soria, J. 1999 Ito, T. 1999
Studies of neotropical caddisflies LVIII: New species of the
genus *Ochrotrichia* Mosely (Trichoptera: Hydroptilidae) from
Peru. – Proc. Ent. Soc. Wash. 101:729-736. Lepidostomatid caddisflies of the Ryukyu Islands,
southernmost part of Japan with description of a new species
and the species groups of the genus *Goerodes* (Trichoptera).
– Entomol. Science 2:493-502.
- Flint, O.S., Jr., Pérez-Gelabert, D.E. 1999 Ito, T. 1999
Checklist of the caddisflies (Trichoptera) of Hispaniola. –
Nov. Carib. 1999(1):33-46. Life history of a net-spinning caddisfly, *Parapsyche*
shikotsuensis in a headwater stream of Hokkaido, northern
Japan. – Jap. J. Limnol. 60:159-175.
- Flint, O.S., Jr., Holzenthal, R.W., Harris, S.C. 1999 Ito, T. 1999
Catalog of the neotropical caddisflies (Insecta: Trichoptera).
– Ohio Biol. Survey (Columbus, Ohio), 239 pp. Taxonomic notes on lepidostomatid caddisflies and
description of a new species from Japan (Trichoptera). –
Jap. J. Limnol. 60:319-333.
- Flint, O.S., Jr., Holzenthal, R.W., Harris, S.C. 1999
Nomenclatural and systematic changes in the neotropical
caddisflies (Insecta: Trichoptera). – Insecta Mundi 13:73-84.
- Friberg, N., Jacobsen, D. 1999 Jackson, J.K., McElravy, E.P., Resh, V.H. 1999
Variation in growth of the detritivore-shredder *Sericostoma*
personatum (Trichoptera). – Freshw. Biol. 42:625-635. Long-term movements of self-marked caddisfly larvae
(Trichoptera: Sericostomatidae) in a California coastal
mountain stream. – Freshw. Biol. 42:525-536.
- Gibon, F.-M., Andriambelo, P.Z. 1999 Johanson, K.A. 1999
A regional analysis of species associations and distribution of
two caddisfly families (Trichoptera: Hydropsychidae and
Philopotamidae) in southeastern Madagascar. – Fieldiana
Zoology N.S. 94:97-109. Revision of the New Zealand *Helicopsyche* (Trichoptera:
Helicopsychidae). – Ent. scand. 30:263-280.
- Giudicelli, J., Botosaneanu, L. 1999 Johanson, K.A. 1999
The remarkable case of a water striding, mainly
brachypterous new species of *Rhyacophila* Pictet
(Trichoptera) from the river Sorgue (Southern France). –
Ann. Soc. Ent. Fr. (N.S.) 35:265-273. Seventeen new *Helicopsyche* species from New Caledonia
(Trichoptera, Helicopsychidae). – Tijd. Ent. 142:37-64.

- Kocharina, S.L. 1999 Neu, P.J. 1999
Biology and ecology of *Stenopsyche marmorata* Navás
(Trichoptera: Stenopsychidae) in the Kedrovaya River
(Russian Far East). – Far Eastern Ent. 73:1-16. Beitrag zur Kenntnis der Köcherfliegen-Fauna des
Echtersbachtals bei Brecht (Südeifel) (Insecta: Trichoptera).
– Dendrocoptes 26:301-318.
- Kovachev, S., Stoichev, S., Uzunov, Y., Kumanski, K., Nishimoto, H., Tanida, K., Gall, W.K., Minakami, N. 1999
Memeti, A. 1999 Discovery of the genus *Larcasia* (Trichoptera, Goeridae) in
Hydrofaunistic study of the Tetovska River, Macedonia. – Japan, with the descriptions of two new species. –
Lauterbornia 36:67-70. Entomol. Science 2:425-438.
- Malicky, H. 1999 Nógrádi, S., Uherkovich, Á. 1999
Eine Köcherfliegen-Ausbeute aus dem Jemen (Trichoptera). Caddisflies (Trichoptera) of the Hungarian section of River
– Esperiana 7:343-348. Tisa. – In: Hamar, J., Sárkány-Kiss, A. (eds.): The Upper Tisa
valley. – Tiscia monograph series (Szeged): 427-437.
- Malicky, H. 1999 Nógrádi, S., Uherkovich, Á. 1999
Einige Köcherfliegen von der Insel Sokotra (Insecta, Studies on the caddisflies (Trichoptera) of the Gemenc
Trichoptera). – Ent.Z. 109:492-495. Landscape Protection Area (Duna – Dráva National Park),
South Hungary. – Janus Pann. Múz. Évkönyve 43:65-73.
- Malicky, H. 1999 Nozaki, T., Tanida, K., Ito, T. 1999
Köcherfliegen (Trichoptera) vom Marchfeldkanal Checklists of Trichoptera in Japan. 3. Limnocentropodidae,
(Niederösterreich). – Z.Arbgem. Öst. Ent. 51:89-98. Phryganopsychidae, Phryganeidae, Brachycentridae and
Apataniidae. – Jap. J. Limnol. 60:347-366.
- Malicky, H. 1999 Nozaki, T. 1999
Bemerkungen über die Verwandtschaft von *Hydropsyche* Synonymic notes on a Japanese *Hydatophylax* (Trichoptera:
pellucidula Curtis (Trichoptera, Hydropsychidae). – Linzer Limnephilidae). – Aquatic Insects 21:301-302.
biol. Beitr. 31:803-821.
- Malicky, H. 1999 Petersen, I., Winterbottom, J.H., Orton, S., Friberg, N.,
Köcherfliegen (Trichoptera) aus der Umgebung von Hildrew, A.G., Spiers, D.C., Gurney, W.S.C. 1999
Visperterminen, 800-1400m (Schweiz, Kanton Wallis). – Emergence and lateral dispersal of adult Plecoptera and
Ent. Ber. Luzern 42:103-108. Trichoptera from Broadstone Stream, U.K. – Freshw. Biol.
42:401-416.
- Malicky, H. 1999 De Pietro, R. 1999
Beiträge zur Insektenfauna von Jamaika, Westindien Identification of the larvae of *Hydropsyche* species from Sicily
(Karibik). 4. Eine kleine Köcherfliegenausbeute (Trichoptera) and peninsular Italy (Trichoptera, Hydropsychidae). –
aus Jamaika. – Ent. Ber. Luzern 42:115-118. Arch. Hydrobiol. Suppl. 121:91-117.
- Marchant, R., Hehir, G. 1999 Randriamasimanana, D., Gibon, F.-M. 1999
Growth, production and mortality of two species of *Agapetus* Biodiversité aquatique de Madagascar. 27: Les *Oecetis* ap-
(Trichoptera: Glossosomatidae) in the Acheron River, south- partenent aux nouveaux groupes *oliae* et *marojeiyensis* (Tri-
east Australia. – Freshw. Biol. 42:655-671. choptera, Leptoceridae). – Revue fr. Ent. (N.S.) 21(1):15-24.
- Mey, W. 1999 Sangpradub, N., Giller, P.S., O'Connor, J.P. 1999
Notes on the taxonomy and phylogeny of *Apsilochorema* Life history patterns of stream-dwelling caddis. –
Ulmer, 1907 (Trichoptera, Hydrobiosidae). – Arch. Hydrobiol. 146:471-493.
Mitt. Mus. Naturk. Berlin, Dt. ent. Z. 46:169-183.
- Moroz, M.D., Czachorowski, S., Lewandowski, K. 1999 Schöll, F., Hardt, D. 1999
Water insects (Insecta: Ephemeroptera, Odonata, Wiederfund von *Brachycentrus subnubilus* (Insecta,
Plecoptera, Heteroptera, Trichoptera) of the projected Trichoptera) in der Elbe. – Lauterbornia 36:41-42.
landscape reserve „Olmany wetlands“. – Prirodniye resursi
3:111-117. (In Belarussian)
- Moulton, S.R. II., Harris, S.C. 1999 Stuijzand, S.C., Engles, S., v. Ammelrooy, E., Jonker, M. 1999
Redescriptions of the *Oxyethira aeola* group species in North Caddisflies (Trichoptera: Hydropsychidae) used for
America (Trichoptera: Hydroptilidae): classification of a evaluating water quality of large European rivers. –
taxonomic enigma. – J.N. Am. Benthol. Soc. 545-552. Arch. Environm. Contam. Toxicol. 36:186-192.
- Nadig, A., Sauter, W., Zoller, H. 1999 Ujvárosi, L., Chişu, S.C. 1999
Ökologische Untersuchungen im Unterengadin. Versuch Contribution to the knowledge of the caddis flies (Insecta:
einer Synthese. – Ergebnisse wiss. Unters. Schweiz. Trichoptera) fauna of the Olt River Basin. –
Nationalpark 12E:1-118. (Trichoptera: pp. 32-33). Transylv. Rev. Syst. Ecol. Res. 1:129-142.

- Vieira-Lanero,R., González,M.A., Cobo,F. 1999 2000
 Descripción de la larva de *Glossosoma privatum* McLachlan, 1884 (Trichoptera, Glossosomatidae). – Boln.Asoc.esp.Ent. 23:15-23. Arefina, T. 2000
 Dr. Iya Mikhailovna Levanidova 85 years. – Braueria 27:5-7.
- Vuori,K.-M., Luotonen,H., Liljaniemi,P. 1999 Arefina, T.I. 2000
 Benthic macroinvertebrates and aquatic mosses in pristine streams of the Tolvajärvi region, Russian Karelia. – Boreal Environment Research (Helsinki) 4:187-2000. A new species of the genus *Glossosoma* Curtis (Trichoptera: Glossosomatidae) from the Russian Far East. – Braueria 27:21-22.
- Ward,J.B. 1999 Baltes, B. 2000
 An annotated checklist of the caddis (Trichoptera) of the New Zealand subregion. – Rec.Canterbury Mus. 13:75-95. Einfluß der Gewässerversauerung auf aquatische Insekten. – Mitt.Dt.Ges.allg.angew.Ent. 12:231-235.
- Ward,J.B., [and 20 co-authors] 1999 Cianficconi,F., Moretti,G.P. 2000
 Insects and other arthropods of Hinewai Reserve, Banks Peninsula, New Zealand. – Rec.Canterbury Mus. 13:97-121. Silk weave and silk glands in aquatic instars of two species of *Helicopsyche* von Siebold, 1856 (Trichoptera, Helicopsychidae). – Aquat.Insects 22:58-65.
- Wassermann,G. (ed.) 1999 Cianficconi, F., Salerno, P. 2000
 10 Jahre Gießgang Greifenstein. – Schriftenreihe Forschung im Verbund (Wien: Öst.Elektrizitätswerke-AG) 47:1-250. [Trichoptera: pp.245-246] A new species of *Athripsodes* (Trichoptera: Leptoceridae) from central-southern Italy. – Braueria 27:15-16.
- Weigelhofer,G., Waringer,J.A. 1999 Dean,J.C. 2000
 Woody debris accumulations – important ecological components in a low order forest stream (Weidlingbach, Lower Austria). – Int.Rev.Hydrobiol. 84:427-437. Preliminary keys for the identification of Australian caddisfly larvae of the families Antipodoeciidae, Atriplectididae, Limnephilidae and Plectrotarsidae. – Identification Guide no. 31:1-16 (Cooperative Research Centre for Freshwater Ecology, Thurgoona, Australia).
- Weinzierl,A. 1999 Dobson,M., Poynter,K., Cariss,H. 2000
 Neues über *Molanna nigra* und einige seltene Leptoceridae aus Bayern (Insecta: Trichoptera). – Lauterbornia 36:9-12. Case abandonment as a response to burial by *Potamophylax cingulatus* (Trichoptera: Limnephilidae) larvae. – Aquat.Insects 22:99-107.
- Wells,A. 1999 Gerecke, R. 2000
 The micro-caddisflies of Lord Howe Island (Hydroptilidae: Trichoptera: Insecta). – Aquat.Insects 21:221-230. Water mites as parasites of Trichoptera: Invitation for cooperation. – Braueria 27:4
- Whiles,M.R., Goldowitz,B.S., Charlton,R.E. 1999 Giudicelli,J., Bouzidi,A., Ait Abdelaali,N. 2000
 Life history and production of a semi-terrestrial limnephilid caddisfly in an intermittent Platte River wetland. – J.N.Am.Benthol.Soc. 18:533-544. Contribution à l'étude faunistique et écologique des simulies (Diptera:Simuliidae) du Maroc. IV.Les simulies du Haut Atlas. Description d'une nouvelle espèce. – Ann.Limnol. 36:57-80.
- Wiberg-Larsen,P. 1999 González,M.A., Vieira-Lanero,R. Cobo,F. 2000
 Macroinvertebrate biodiversity in restored freshwater habitats – the importance of dispersal. – In: Friberg,N., Carl,J.D. (eds.): Biodiversity in benthic ecology. NERI Technical report no.266, pp.39-45. The immature stages of *Ptilocolepus extensus* McLachlan, 1884 (Trichoptera: Hydroptilidae: Ptilocolepinae) with notes on biology. – Aquat.Insects 22:27-38.
- Wiberg-Larsen,P., Brodersen,K., Birkholm,S., Grøn,P., Skriver,J. 1999 Hoffmann,A. 2000
 Vårfluer – biodiversitet i danske vandløb. – Vand & Jord 6:51-54. The association of the stream caddisfly *Lasiocephala basalis* (Kol.) (Trichoptera: Lepidostomatidae) with wood. – Int.Rev.Hydrobiol. 85:79-93.
- Wiberg-Larsen,P., Holm,P. 1999 Hoffmann,A., Hering,D. 2000
 Vårfluen *Hydroptila martini* Marshall, 1977 – ny for Danmark og NV-Europa (Trichoptera: Hydroptilidae). – Ent.Meddr. 67:117-121. Wood-associated macroinvertebrate fauna in Central European streams. – Int.Rev.Hydrobiol. 85:25-48.
- Wiberg-Larsen,P., Karsholt,O. 1999 Küry,D., Zschokke,S. 2000
 The traffic of adult Trichoptera above the city of Copenhagen (Denmark). – Ent.Meddr. 67:123-136. Short-term consequences of river restoration on macroinvertebrate communities. – Mitt.Dt.Ges.allg.angew. Ent. 12:237-240.

- Malicky, H. 2000 Ward, J.B., Mary, N.J. 2000
Which caddis larvae construct a new case for pupation? – *Xanthochorema paniensis* (Trichoptera, Hydrobiosidae) new species from upland New Caledonia. – *Aquat.Insects* 22:71-76.
Braueria 27:19-20.
- Malicky, H. 2000 Waringer, J., Graf, W., Maier, K.-J. 2000
Einige neue Köcherfliegen aus Sabah, Nepal, Indien und China (Trichoptera: Rhyacophilidae, Hydrobiosidae, Philopotamidae, Polycentropodidae, Ecnomidae, Psychomyiidae, Hydropsychidae, Brachycentridae, Odontoceridae, Molannidae). – *Braueria* 27:32-39. The larva of *Metanoea flavipennis* Pictet, 1834 (Trichoptera: Limnephilidae: Drusinae). – *Aquat.Insects* 22:66-70.
- Malicky, H., Chantaramongkol, P., Chaibu, P., Thamsenanupap, P., Thani, I. 2000 Warnke, S., Hering, D. 2000
Acht neue Köcherfliegen aus Thailand. – *Braueria* 27:29-31. Composition, microdistribution and food of the macroinvertebrate fauna inhabiting wood in low-order mountain streams in Central Europe. – *Int.Rev.Hydrobiol.* 85:67-78.
- Nimmo, A.P. 2000 Wermuth, P. 2000
Fernand Schmid. Personal memories. – *Braueria* 27:9-10. Bioindikation der Gewässerverhältnisse an der Birs (CH, kanton Basler-Land) mit Hilfe von Emergenzfallen. – *Mitt.Dt.Ges.allg.angew.Ent.* 12:255-257.
- Pearson, R.G., Connolly, N.M. 2000
Nutrient enhancement, food quality and community dynamics in a tropical rainforest stream. – *Freshw.Biol.* 43:31-42. Wiberg-Larsen, P., Brodersen, K.P., Birkholm, S., Grøn, P.N., Skriver, J. 2000
Species richness and assemblage structure of Trichoptera in Danish streams. – *Freshw.Biol.* 43:633-647.
- De Pietro, R. 2000
A new species of *Tinodes* from Sicily and southern Italy (Trichoptera, Psychomyiidae). – *Braueria* 27:11-13.
- Ruiter, D.E. 2000
Generic key to the adult ocellate Limnephiloidea of the Western Hemisphere (Insecta: Trichoptera). – *Misc.Contr.Ohio Biol.Survey* 5:1-22. *
- Schulz, C.-J. 2000
Aquatische Insekten der Wipper, einem salzbelasteten Fluß Nordthüringens. – *Mitt.Dt.Ges.allg.angew.Ent.* 12:249-254.
- Sipahiler, F. 2000
New *Rhyacophila* (Trichoptera, Rhyacophilidae) species from France and Spain. – *Aquat.Insects* 22:138-147.
- Sipahiler, F. 2000
Redescription of *Sericostoma flavicorne* Schneider, 1845 and a new species of genus *Sericostoma* Latreille from Turkey (Trichoptera, Sericostomatidae). – *Braueria* 27:23-25.
- Sipahiler, F. 2000
New species and subspecies of Trichoptera from Turkey (Hydroptilidae, Philopotamidae, Phryganeidae, Lepidostomatidae). – *Braueria* 27:26-28.
- Spänhoff, B., Alecke, C., Meyer, E.I. 2000
Colonization of submerged twigs and branches of different wood genera by aquatic macroinvertebrates. – *Int.Rev.Hydrobiol.* 85:49-66.
- Urbanič, G., Krušnik, C., Malicky, H. 2000
Rhyacophila schmidinarica, a new species of the philopotamoides group (Trichoptera: Rhyacophilidae) from the northern Balkan Peninsula. – *Braueria* 27:17-18.

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Braueria](#)

Jahr/Year: 2000

Band/Volume: [27](#)

Autor(en)/Author(s): Malicky Hans

Artikel/Article: [Trichopterological Literature 39-47](#)