

Linzer biol. Beitr.	39/2	979-982	18.12.2007
---------------------	------	---------	------------

Contribution to the Knowledge of Carabidae Fauna of Turkey. Part 5: Brachinini (Coleoptera: Carabidae, Brachininae)

M. KESDEK & E. YILDIRIM

A b s t r a c t : This study is based upon material of the tribus Brachinini collected from different localities of Turkey between 1976 and 2006. In this study, 11 species and subspecies belonged to two genera in the tribus Brachinini are recorded. Among them, *Brachinus crepitans* (LINNAEUS), *B. ejaculans* FISCHER VON WALDHEIM and *B. nigricornis* GEBLER were widespread species. In addition, new localities have been found for some species and subspecies which have already been reported in Turkey.

K e y w o r d s : Coleoptera, Carabidae, Brachininae, Brachinini, Fauna, Turkey.

Introduction

The first part of the Carabidae fauna of Turkey covered the tribus Harpalini (KESDEK & YILDIRIM 2003), the second part of the tribus Platynini (KESDEK & YILDIRIM 2004). The third part of the tribus Bembidiini (KESDEK & YILDIRIM 2007), the fourth part of the tribe Dryptini, Lebiini and Zuphiini (KESDEK & YILDIRIM 2007) and the fifth part includes the tribus Brachinini. The information related to the material and literature references were given in the first part. Provinces of the collected specimens are given in alphabetical order in the following list. The material is deposited in the Entomology Museum, Erzurum, Turkey (EMET).

Results

In this study, 11 species and subspecies of two genera belonged to of the tribus Brachinini of subfamily Brachininae of the family Carabidae were recorded from Turkey.

Genus *Aptinus* BONELLI 1810

***Aptinus cordicollis creticus* PIC 1903**

M a t e r i a l e x a m i n e d : İcel: Tarsus, 50 m, 2.VIII.1984, ♂.

D i s t r i b u t i o n in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

Genus *Brachinus* WEBER 1801***Brachinus alexandri* BOTTONI 1984**

Material examined: Iğdır: Tuzluca, Gaziler, 1020 m, 16.V.2005, ♀.

Distribution in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus bayardi* DEJEAN 1831**

Material examined: Bingöl: Karlıova, Köklü, 1600 m, 5.VI.2003, ♂, ♀.

Distribution in Turkey: Turkey (no locality) (CSIKI 1933a); Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus bipustulatus* QUENSEL IN SCHONHERR 1806**

Material examined: Erzurum: 2 km Southeast, 1970 m, 30.IV.2006, ♀, Aşkale, Ortabahçe, 1965 m, 4.VII.2005, ♂, ♀.

Distribution in Turkey: Turkey (no locality) (CSIKI 1933a); Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus brevicollis* MOTSCHULSKY 1844**

Material examined: Ardahan: Göle, 1900 m, 11.VI.2005, ♀; Erzincan: Tercan, Demirkapı, 1330 m, 25.V.2005, ♂; Erzurum: Tekederesi, 1900 m, 13.VI.2005, ♀, Karagöbek, 1860 m, 28.VI.2000, ♀, Horasan, Akçataş, 1870 m, 2.VI.2006, ♀, Ilıca, Atlıkonak, 1950 m, 11.VI.2000, ♀; Kars: Sarıkamış, Çardakçatı, 1350 m, 17.V.2005, 2♂♂, ♀, Karaorgan, 1760 m, 2.VI.2006, ♂, ♀.

Distribution in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus crepitans* (LINNAEUS 1758)**

Material examined: Ardahan: Göle, 1900 m, 11.VI.2005, ♀, 2010 m, 18.VIII.2004, ♂; Artvin: Şavşat, Düzenli, 1700 m, 11.VI.2005, ♀, Yavuzköy, 1680 m, 11.VI.2005, 2♂♂; Bingöl: Ilıcalar, İçpınar, Derik Hamlet, 1100 m, 28.V.2006, ♂; Erzincan: Tercan, Yaylacık, 1480 m, 23.V.2006, ♀, 1275 m, 24.V.2004, ♀, 1345 m, 25.VI.2005, ♀, Üzümlü, 1325 m, 24.V.2004, ♀; Erzurum: Dadaşköy, 1750 m, 17.VII.2004, ♂, Esendere, 6.V.2004, ♀, Karagöbek, 1870 m, 28.VI.2000, ♂, 2♀♀, Nenehatun, 1800 m, 21.IV.2002, ♂, 3♀♀, Aşkale, Pırnakapan, 1920 m, 14.X.2004, ♂, Ilıca, Atlıkonak, 1950 m, 11.VI.2000, 2♂♂, ♀, Tortum, Yumaklı, 1750 m, 18.V.1999, ♂, Uzundere, Yayla, 1800 m, 17.V.2004, 3♂♂; Kars: Sarıkamış, Soğukçeşme, 2100 m, 9.X.1998, ♂; Konya: Güneysımr, Güragaç, 1020 m, 2.III.2002, 8♂♂, 9♀♀.

Distribution in Turkey: Turkey (no locality) (CSIKI 1933a); Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus ejaaculans* FISCHER VON WALDHEIM 1828**

Material examined: Bingöl: Ilıcalar, İçpınar, Derik Hamlet, 1100 m, 28.V.2006, ♂, Karlıova, Bilaloğlu, 1330 m, 6.V.2003, ♀, Köklü, 1600 m, 5.VI.2003, 4♂♂, 2♀♀; Erzurum: Karagöbek, 1970 m, 28.VI.2000, ♂, ♀, Çat, Yukarıçat, 1880 m, 21.V.2004, 2♂♂, 3♀♀; Uzundere, Yayla Pass, 2350 m, 17.V.2004, ♀; Kars: Digor, Yeniköy, 1695 m, 4.V.2004, ♂; Sinop: Kadi, 455 m, 12.VII.1998, ♂, 3♀♀; Tunceli: Pülümür, 1760 m, 18.V.1976, ♂.

Distribution in Turkey: Turkey (no locality) (CSIKI 1933a); Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus exhalans* (ROSSI 1792)**

Material examined: Erzurum: Karagöbek, 1950 m, 14.VI.1998, ♂.

Distribution in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus explodens* (DUFTSCHMID 1812)**

Material examined: Bingöl: Karliova, Aşağıelmali, 1320 m, 10.VIII.2004, ♂; Erzincan: Tercan, Demirkapı, 1330 m, 25.V.2005, ♂, ♀; Erzurum: Aşkale, Ortabağçe, 1790 m, 1.IX.2004, ♀, Uzundere, Yayla Pass, 2350 m, 17.V.2005, ♂; Kars: Kağızman, Değirmendere, 1370 m, 17.V.2005, ♂.

Distribution in Turkey: Denizli (SAHLBERG 1912-1913); Eskişehir (Sarıcakaya) (YÜCEL & ŞAHİN 1988); Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus nigricornis* GEBLER 1828**

Material examined: Bingöl: Ilıcalar, İçpınar, Derik Hamlet, 1100 m, 28.V.2006, ♂, Karliova, Bilaloğlu, 1330 m, 6.V.2003, 2♂♂; Erzurum: Esendere, 2090 m, 14.V.2001, ♂, 15.V.2004, ♀, Karagöbek, 1960 m, 28.VI.2000, 3♂♂, 2♀♀, Nenehatun 1800 m, 10.V.2002, ♀, Aşkale, Pırmakapan, 1800 m, 27.V.2002, ♂, Çat, Yukarıçat, 21.V.2004, ♂, ♀, Ilıca, Athkonak, 1970 m, 11.VI.2000, 4♂♂, 2♀♀, Uzundere, Yayla, 1800 m, 17.V.2004, ♂, 3♀♀, 28.IX.2004, ♂, 2♀♀; Konya: Güneysınır, Güragaç, 1021 m, 8.VII.2000, 3♂♂, ♀, 2.III.2002, ♂; Sinop: Kadı, 650 m, 15.VII.1998, ♂.

Distribution in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

***Brachinus psophia* AUDINER-SERVILLE 1821**

Material examined: Erzurum: Aşkale, Ortabağçe, 1790 m, 1.IX.2004, ♂.

Distribution in Turkey: Anatolia (no locality) (CASALE & TAGLIANTI 1999).

Acknowledgement

The authors wish to thank Mr. Claude Jeanne (France) for determining the reference material.

Zusammenfassung

Vorliegende Arbeit behandelt 11 Arten (aus 2 Gattungen) Carabidae der Tribus Brachinini, die im Zeitraum 1976 bis 2006 aus verschiedenen Orten der Türkei aufgesammelt wurden.

References

CASALE A. & A.V. TAGLIANTI (1999): Caraboid beetles (excl. Cicindelidae) of Anatolia, and their biogeographical significance (Coleoptera, Carabidae). — In: Biogeographia Lavori della Societa Italiana Di Biogeografia. Nouva Serie **20**: 277-400.

- CSIKI E. (1933): Carabidae. Harpalinae VIII. "in Coleopterorum Catalogus, Ed. S. Schenkling. Pars 126" Junk Publ., 1933a.
- KESDEK M. & E. YILDIRIM (2003): Contribution to the knowledge of Carabidae fauna of Turkey. Part 1: Harpalini (Coleoptera, Carabidae, Harpalinae). — Linzer biol. Beitr. **35** (2): 1185-1195.
- KESDEK M. & E. YILDIRIM (2004): Contribution to the knowledge of Carabidae fauna of Turkey. Part 2: Platynini (Coleoptera, Carabidae). — Linzer biol. Beitr. **36** (1): 527-533.
- KESDEK M. & E. YILDIRIM (2007): Contribution to the knowledge of Carabidae fauna of Turkey. Part 3: Bembidiini (Coleoptera: Carabidae, Bembidiinae). — Entomofauna **28**: 117-124.
- KESDEK M. & E. YILDIRIM (2007). Contribution to the knowledge of Carabidae fauna of Turkey. Part 4: Dryptini, Lebiini and Zuphiini (Coleoptera: Carabidae, Lebiinae). — Entomofauna **28**: 117-124.
- SAHLBERG J. (1912-1913): Coleoptera mediterranea orientalia, que in Aegypto, Palaestina, Syria, Caramania, atque in Anatolia occidentalia anno 1904. — Öfversigt af Finska Vetenskaps-Societetens Förhandlingar. Bd. LV, Afd. A. No: **19**.
- YÜCEL E. & Y. ŞAHİN (1988): The morphological and ecological studies on some Carabidae (Coleoptera) species in Eskişehir and Afyon province. — Anadolu University, Periodical of Science Faculty: 25-29.

Author's adresses:

Memiş KESDEK
Ministry of Agriculture and Village Affairs,
Head of District Agriculture, (İlçe Tarım Müdürlüğü)
TR-Köyceğiz/Muğla, Turkey
E-mail: mekesdek@atauni.edu.tr; mekesdek@hotmail.com

Prof. Dr. Erol YILDIRIM
Atatürk University
Faculty of Agriculture, Department of Plant Protection
TR-25240 Erzurum, Turkey
E-mail: eyildi@atauni.edu.tr; yildirimerol@hotmail.com

ZOBODAT - www.zobodat.at

Zoologisch-Botanische Datenbank/Zoological-Botanical Database

Digitale Literatur/Digital Literature

Zeitschrift/Journal: [Linzer biologische Beiträge](#)

Jahr/Year: 2007

Band/Volume: [0039_2](#)

Autor(en)/Author(s): Kesdek Memis, Yildirim Erol

Artikel/Article: [Contribution to the Knowledge of Carabidae Fauna of Turkey. Part 5: Brachinini \(Coleoptera: Carabidae, Brachininae\) 979-982](#)